BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

College Hill Water ASSOC. Public Water Supply Name
Public Water Supply Name
0360004
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

X	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: 61/11/Z
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed:/_/_
×	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: The OXFORD Eagle
	Date Published: 6 1/31/2
Ü	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
ann.	YIV C. I TVO V

<u>CERTIFICATION</u>

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

NamofTitle (President, Mayor, Owner, etc.)

6-13-12 Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2012 JUN 18 AM 9: 52

Annual Drinking Water Quality Report College Hill Water Association PWS ID# 036004 2011

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been to provide you a safe and dependable supply of drinking water. Our water source is from three wells pumping from the Meridian-Upper Wilcox Aquifer.

If you have any questions about this report or concerning your water utility, please contact Steve Hollowell at 662-832-3883, or one of your board members. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the 4th Thursday of each month at 6:30 pm at the College Hill Fire Station.

The College Hill Water Association routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January1st to December31st 2011. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals and radioactive substances. All drinking water, including bottled water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions.

- Action Level-The concentration of a contaminant which if exceeded, triggers treatment or other requirements which a water system must follow.
- Treatment Technique (TT)-A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.
- Maximum Contaminant Level-The "Maximum Allowed" (MCL) is the highest level of a
 contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using
 the best available treatment technology.
- Maximum Contaminant Level Goal-The" Goal" (MCLG) is the level of a contaminant in drinking
 water below which there is no known or expected risk to health. MCLGs allow for a margin of
 safety.

			TEST R	ESULTS			
Contaminant	Violation Y/N Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely source of Contamination

Microbiological Contaminants

1. Total	N	0		0	Presence	Naturally present in the
Coliform					of	environment
Bacteria	1				coliform	ļ
	ł				bacteria in	
					5% of	
	İ			İ	monthly	
1]			samples	

Disinfection/Disinfection By Products
(There is convincing evidence that addition of disinfection is necessary for control of microbial contaminants)

Chlorine (as Cl2)	N	2011	1.8	0	ppm	4	4	Water additive used to control microbes
Inorgai	nic Co	ntamin	ants				*	· · · · · · · · · · · · · · · · · · ·
7.Antimony	N	2009	< 0.0005	0	ppm	6	6	Discharge from petroleum refineries; fire retardants ;ceramics;electronics;
8Arsenic	N	2009	< 0.0005	0	ppm	n/a	50	Erosion of natural deposits;runoff from orchards;runoff from glass and electronics production wastes
10.Barium	N	2009	0.011374	0	ppm	2	2	Discharge of drilling waste; discharge from metal refineries; erosion of natural deposits
11.Beryllium	N	2009	< 0.0005	0	ppm	4	4	Discharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense industries
12.Cadmium	N	2009	< 0.0005	0	ppb	5	5	Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints
13.Chromium	N	2009	<0.0005	0	ppb	100	100	Discharge from steel and pulp mills;erosion of natural deposits
14.Copper	N	2011	0.0	0	Mg/L	1.3	AL=1.3	Corrosion of household plumbing systems; crosion of natural deposits; leaching from wood preservatives
15Cyanide	N	2009	< 0.015	0	ppm	200	200	Discharge from steel/metal factories; discharge from plastic and fertilizer factories
16Fluoride	N	2009	< 0.1	0	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17.Lead	N	2011	0.000	0	Mg/L	0	AL=15	Corrosion of household plumbing systems; erosion of natural deposits
18Mercury	N	2009	< 0.0002	0	ppb	2	2	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland

19.Nitrate (as Nitrogen)	N	2011	0.39	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
20Nitrite(as Nitrogen)	N	2011	< 0.02	No range	ppm	1	1	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
21Selenium	N	2009	< 0.0025	0	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
22Thallium	N	2009	< 0.0005	0	ppb	0.5	2	Leaching from ore- processing sites; discharge from electronics, glass, and drug factories

Volatile Organic Contaminants

55 Benzene	N	2010	< 0.5	0	ppb	0	5	Discharge from
				- and property of the property				factories; leaching from gas storage tanks and
								landfills
56	N	2010	< 0.5	0	ppb	0	5	Discharge from chemical
Carbontetrachloride								and other industrial
							1	activities
58 O-	N	2010	< 0.5	0	ppb	600	600	Discharge from industrial
Dichlorobenzene							 	chemical factories
59 P-	N	2010	< 0.5	0	ppb	75	75	Discharge from industrial
Dichlorobenzene							 	chemical factories
60. 1,2-	N	2010	< 0.5	0	ppb	0	5	Discharge from industrial
Dichloroethane						7	7	chemical factories Discharge from industrial
61. 1,1-	N	2010	< 0.5	0	ppb	1	'	chemical factories
Dichloroethylene	1		1			70	 70	Discharge from industrial
62. Cis-1,2-	N	2010	< 0.5	0	ppb	70	/0	chemical factories
Dichloroethylene		1010				100	100	Discharge from industrial
63. Trans-1,2-	N	2010	< 0.5	0	ppb	100	100	chemical factories
Dichloroethylene	ļ	1	100			 0	5	Discharge from industrial
64.	N	2010	< 0.5	0	ppb	٥	,	chemical factories
Dichloromethane	 		105	- 	1	0	5	Discharge from industrial
65. 1,2-	N	2010	< 0.5	0	ppb	10)	chemical factories
Dichloropropane		1000	1			700	700	Discharge from prtroleum
66.Ethylbenzene	N	2010	< 0.5	0	ppb	700	700	refineries
<i>cm</i> 0:	N	2010	< 0.5	0	ppb	100	100	Discharge from rubber
67. Styrene	iN .	2010	< 0.3	V	ppo	100	100	and plastic
								factories; leaching from
	ļ		İ					landfills
68.	N	2010	< 0.5	0	ppb	0	5	Leaching from pvc
Tetrachloroethylene	1	2010	1		PP.			pipes;discharge from
10thombioomijiosso							[factories and dry cleaners
69. 1,2,4-	N	2010	< 0,5	0	PPB	70	70	Discharge from textile-
Trichlorobenzene	1.	2010	,,,,	1				finishing factories
70. 1,1,1-	N	2010	< 0.5	0	ppb	200	200	Discharge from metal
Trichloroethane	1				111		1	degreasing sites and other
11101110110441011	1							factories
71. 1,1,2-	N	2010	< 0.5	0	ppb	3	5	Discharge from industrial
Trichloroethane					1.			chemical factories
72.	N	2010	< 0.5	0	ppb	0	5	Discharge from metal
Trichloroethylene		+	ļ					degreasing sites and other
, i								factories
74. Toluene	N	2010	< 0.5	0	ppb	1	1	Discharge from petroleum
	1							factories
75. Vinyl Chloride	N	2010	< 0.5	0	ppb	0	2	Leaching from pvc
								piping discharge from
								plastics factories
76. Xylenes	N	2010	< 0.5	0	ppb	10	10	Discharge from petroleum
					ĺ			factories; discharge from
								chemical factories

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected, however they are not above the level considered unsafe.

All sources of drinking water are subject to potential contamination by substances that are natural or manmade. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorder, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline(1-800-426-4791). Please call if you have questions.

Our source water assessment has been completed. Wells 1 and 2 were ranked HIGHER in terms of susceptibility to contamination, well 3 was ranked as MODERATE. For a copy of the report, please contact our office at 662-832-3883...

We at the College Hill Water Association work hard to provide quality water at every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

*****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the schedule deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system returned to compliance by March 31, 2013. If you have any

questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

Additional Information for Lead

If present, elevated levels of lead can cause serious problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The College Hill Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://epa.gov/safewater/lead. The Mississippi State Department of Health Public Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

Full reports can be obtained by contacting our office at 662.832.3883

PAGEIOFZ

CHARLEST STREET, ST.

RECEIVED-WATER SUPPLY

2012 JUN 18 AM 9: 52

PROOF OF PUBLICATION

Annual Drinking Water Quality Report College Hill Water Association PWS ID# 036004

We're very pleased to provide you with this year's Annual Water Quality Report.

We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been to provide you a safe and dependable supply of drinking water. Our water source is from three wells pumping from the Meridian-Upper Wilcox Aquifer.

If you have any questions about this report or concerning your water utility, please contact Steve Hollowell at 662-832-3883, or one of your board members. We want our value 1 customers to be informed about their water utility. If you want to learn more, please attend any of our regularty scheduled meetings. They are held on the 4th Thursday of each month at 5:30 pm at the College Hill Fire Station.

The College Hill Water Association routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st 2011. As water travels over the land or underground, it can pick up substances or contaminants such as microbes; morrobes and organic chemicals and radioactive substances. All drinking water, including bottled water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions.

- Action Level-The concentration of a contaminant which if exceeded, riggers treatment or other requirements which a water system must follow.
- Treatment Technique (TT)-A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.
- Maximum Commitment Level-The "Maximum Allowed" (MCL) is the highest level of a
 conteminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using
 the best swallable treatment rechaology.
- Manimum Continuous Level Goal-The Goal" (MCLG) is the level of a continuous in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

PRINTER'S FEE \$ 633,30

THE STATE OF MISSISSIPPI LAFAYETTE COUNTY

Personally appeared before me, a notary public in and for said county and State, the undersigned

Tim Phillips

Who, after being duly sworn, deposes and says that he is the Co-Publisher of the Oxford Eagle, a newspaper published daily in the City of Oxford, in said county and State, and that the said newspaper has been published for more than one year and that 2011

AUNCEAL DINKING WARRAM

a true copy of which is hereto attached was published for _____ consecutive weeks in said newspaper as follows:

VOLUME
144

NO. 184 DATE 6-13-12

Section 1	Sugar Co.	uld Elvis		TEST R	ESULTS			
Destroiostii	D D	ation Al ets octed	Level Dougled	Renge of Delocts or of Sample Reconstitut MEL/ACL	Unit Mensurencit	SECL.CI	MCL.	Likely source of Contamination
Microbi Total coliform lectoria	iologie N	al Cont	eninaut (10	Presence of colliform basievis in 5% of monthly	Namelly present in the cavaryances
Disinfer (There is	coavin	ininfect ing evid	ion By F nce that	roducts iddition of di	sinfection is	necessar;	for contr	ol of microbial
Thiorine as C12)	N S	2011	1.8	9	bbus			Water ackinive used to control microbis
Inorga	nic Cor	temins	nts		and the second	er was sign	1477 E. 15	
Antimony .	N	2009	< 0.000S	9000	Nan	6.00	6	Discharge from petrolaum perineries; fire returdants becamics; electromics;
SArpunic 	N	2009	<0.9005	D recorded to compatible	ppm	sia generalisas	9	Erosion of natural deposits runoff from packerds runoff from places and electronics production
10.Barium	N	2009	0.011374	0 4 4 5	ppu	1	2	Seestes Discharge of dolling waste, discharge from maini refineries, everon of natural deposits
11 Beryllions	N	2009	<0.0005	0	blos	l.	4	Dispharge from metal refineries and coal-huming factories, discharge from electrical, acrospace, and defense undustries
12 Cadmium	N	2009	< 0.0005	0	labp .	5	5	Corresion of galvenized paper; erosion of natural decompanies, descharge from motal refineries rand!
13.Chromium	H	2009	<0.0005	ø	bbp	100	100	prints Discharge from steel and pulp mills protion of natural deposits
14.Copper	N	2011	0.0	0	MgA.	13	AL=L3	Corresion of household plumbing systems, crossion of natural deposits; leaching from wood, programtives
15Cyanide	N.	2009	< 0.015	0	ppm	200	200	Discharge from strel/meta factorier discharge from playin and fertilizer flactories
16Fluoride	N	2009	<0.1	0	blau		1	Prosion of natural deposits; where additive which promotes strong technicals age from fertilizer and aluminum factories
17:L/md	N	2011	0,000	0	Mg/L	9	AL#15	Corresion of tousehold physicial systems: exector of natural deposits
18Marcuy	N.S.	2009	<0.0003	0 0	777	2		Errosco of natural deposits discharge from refluences and Sectorics remotif from

Sworn to and subscribed before me this

13. day of 201

Ata D 201

Notary Public, Lafavette County Mississippi

My commission expires 1010, 000

Aug. 17, 2015

Page 2 of 2

**************************************	N 2	011	Ö39	No Range	Date:	10	10	Reserve from Revalues con. Insching from reptus tentes.	
			7.\\ 190	en en en en en en en en en en en en en e	enganjan inga ja		in the state	some; create of satural deposits	
ZiPitrisejas Natrogon)	N ()	01)	<0.02	Nopeye	Pres		on, interaction	Rusself from fertilizer percloselving from septio	
	entrant in		and the second			in some	A Company	table, sevage excises of natural deposits	
2) Scientum		200-2	< 9.0025	o naite) Pet	50		Pisotherge front patroloses and stated reflection; experies of actional deposits.	
22Thelliuin	N 2	000	< 6.0003	e de la como	Mpp	0.5	2	Charleson form tropes	
Grande in the Control	ios s	338)			998248			Louding from over- processing sites discharge from electronic glass, and	
Volatile	Этена	ie Con	taminan	ta .				Charge Suscenses	(E. S. 1999) @
35 Response	N	2010	1 < 0.5	0	160p	35 (C)() 10 (C)		Distincted from	
							1020	finitudes leading from gas storage lanks and issuffile	
56 Contranguablead	N	2010	<0.5	0	Takya.	0		Likesteinen franz elementet	
38.0-	N	2010	<0.5	6	pph	600	600	sud other industrial antivities Discharge from industrial	
Dichioroberzone 19 P	N	2010	<0.5	0	P9b (1966)	75	75	etymatest Sporaries Disestanço from andrennal oberatosi Sactories	
13cMombecome 60.12	N	2010	₹0.5	9	pph	0		chemical factories Discinega from endostrial chemical betories	
61. LJ-	Ň	2010	₹0.5	0	ppb	7	17	obcasion listories Discharge frant audential chemical factories	1
Dickionentylena 62 Cis-12- Dickionentylena	N	2010	<0.5	Ö	pp.	70	70	Discharge from andustrial cherolesi Securies	
63. Trace-1,2- Dichlerocholane	N	2010	<9.5	0	. pp	160	1100	Discharge from industrial obstacled factories	
64 Dicklorumethuor	N	2010	<0.5	0	r.	9	1500	Discharge Breat industrial	
63, L2 Diebloroprocesse	N	2010	503	9	186p	9	i Alleria	Discharge from industrial chemical factories	
66 Riter the state of	3	2010	<0.5	Street	PP.	700		Discharge from industrial offension factories Discharge from petroleum relitation	SHIEVENS A
67.86yms	N.	2010	<0.5	0	thep .	100	100 100 100 100 100 100 100 100 100 100	Discharge fines cubber and obserio	1.207.6673
	3,80	2010	<05	6	o de esta c	1 (42.27)	1 62 1005	Actuality fronting from Institute	and willing
Tetrachiorophylene	26				ppb	9	1200	Loading from pro piperdisalargo from Sectories and div observes	
69.13.4 Trichlecheurene	N :	2010	<0.5	0	PPB	70	76	Discharge from tentile- finishing factories	
70. 1,1,1- Tricklorestiane	N	2010	<6.5	9	200	200	200	Charleston from metal	
71,112	N	2010	<65	•	gyAs.	3.0	5	Discharge from industrial chemical factories	
Trickleroethane 72	N	2010	< 0.5	6.	(9 <u>2</u> 8)	0		Descharges from sacted	
Tickionoshylene 24. Tokano	N	2016	<0.5	0	er (entredisor)	1000		degreeing rises and other Sectories	
75. Visya Chlorado	N	2010	<0.5	. 6	ppb	0	e e e e e e	Deschiege from petroleum.	
		* 3.7						Leseing from pre principal description from president from president from the president f	*
76. Kvistes	N	2010	COS .	Đ	Bóg	10	10	Elischurge from percelette Bestorier discharge from chemical flotories	
					April 100 200 40 0 1 1 2	2 14 17 2 3 11	S. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	chemical factories	用的技術直接的原理學

All sources of drinking water are subject to potential contamination by substances that are natural or manmade. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of bontaminants does not necessarily indicate that the water poses a ficelith risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hottine at 1-300-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunic-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorder, some elderly, and influns can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by crypusporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline [1-800-426-4791]. Please call if you have questions.

Our source water assessment has been completed. Wells 1 and 2 were maked HIGHER in terms of susceptibility to contamination, well 3 was ranked as MODERATE. For a copy of the report, please contact our office at 662-832-3883.

We at the College Hill Water Association work hard to provide quality water at every tap.
We ask that all our customers help us protect our water sources, which are the heart of
our community, our way of life and our children's future.

*****A MESSAGE FROM MEDIT CONCERNING RADIOLOGICAL SAMPLING****

In accordance with the Radiomiclides Rule, all community public water supplies were required to sample quarterly for indicaucilides beginning January, 2007.—December 2007. Your public water supply completed sampling by the schedule deadline, however, during an audit of the Mississippi State Department of Heafth Radiological Health Laboratory, the Environmental Protection Agency (IPPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of maction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply at 601,576,7518.

Additional Information for Lead

if present, elevated levels of lead can cause serious problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The College Hill Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, its ting methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hofline or at http://epa.gov/safewater/lead. The Mississiopi State Department of Health Public Laboratory offers lead testing for \$10 per sample. Please contact 601 576 7582 if you wish to have your water tested.

Pull reports can be obtained by contacting our office at 662.832.3883

Mississippi State Department of Health Division of Water Supply 570 East Woodrow Wilson Post Office Box 1700 Jackson, Mississippi 39212-1700

RE: CCR Report

College Hill Water Association

Dear Sir/Madam:

This is to inform you that the customers of the College Hill Water Association were notified regarding the CCR report that was completed for their system and that a copy of the report would be available to them by contacting any board member or Steve Hollowell at (662) 832-3883.

If you need additional information, please contact me.

Sincerely,

Steve Hollowell - Operator

Dana McKibben - President

MEMORANDUM

DATE: June 11, 2012

TO: College Hill Water Association Customers

FROM: Dana McKibben, President, College Hill Water

Association Board

Steve Hollowell, Operator

A Consumer Confidence Report (CCR) for the College Hill Water Association has been developed and a copy is available upon request to any College Hill Water Association customer. A copy of this report has been provided to the Mississippi State Department of Health-Division of Water Supply.

If you are interested in obtaining a copy of this report, please call Steve Hollowell at (662) 832-3883.

Steve Hollowell

Dana McKibben